

Sample manifest examples

This document gives a few examples of how to fill out the Sample manifest, depending on how the samples are oriented on the plate.

96-well plate

Sample orientation on plate

	1	2	3	4	5	6	7	8	9	10	11	12
A	Sample1	Sample3_ CSF										Empty
B	Sample2	Sample4_ CSF										Empty
C	Sample3	Sample5_ CSF										Empty
D	Sample4	Sample6_ CSF										Empty
E	Sample5											Empty
F	Sample6											Empty
G	Sample1_ CSF											Empty
H	Sample2_ CSF											Empty

How to fill out the Sample manifest

Plate ID	Well ID	Unique Sample ID (for letters standard A-Z only)	Sample type, choose from list if other, please specify in <i>Additional information</i>	Sample volume (µL)	Additional information
	A1	Sample1	EDTA plasma	40	
	B1	Sample2	EDTA plasma	40	
	C1	Sample3	EDTA plasma	40	
	D1	Sample4	EDTA plasma	40	
	E1	Sample5	EDTA plasma	40	
	F1	Sample6	EDTA plasma	40	
	G1	Sample1_CSF	Other	40	CSF
	H1	Sample2_CSF	Other	40	CSF
	A2	Sample3_CSF	Other	40	CSF
	B2	Sample4_CSF	Other	40	CSF
	C2	Sample5_CSF	Other	40	CSF
	D2	Sample6_CSF	Other	40	CSF
	E2				
	F2				
	G2				

9x9 box

Sample tube orientation

	1	2	3	4	5	6	7	8	9
A	Sample1	Sample4_CS F							
B	Sample2	Sample5_ CSF							
C	Sample3	Sample6_ CSF							
D	Sample4								
E	Sample5								
F	Sample6								
G	Sample1_ CSF								
H	Sample2_ CSF								
I	Sample3_ CSF								

How to fill out the Sample manifest

Box ID	Pos ID	Unique Sample ID (for letters standard A-Z only)	Sample type, choose from list if other, please specify in <i>Additional information</i>	Sample volume (µL)	Additional information
Box1	A1	Sample1	EDTA plasma	40	
Box1	B1	Sample2	EDTA plasma	40	
Box1	C1	Sample3	EDTA plasma	40	
Box1	D1	Sample4	EDTA plasma	40	
Box1	E1	Sample5	EDTA plasma	40	
Box1	F1	Sample6	EDTA plasma	40	
Box1	G1	Sample1_CS F	Other	40	CSF
Box1	H1	Sample2_ CSF	Other	40	CSF
Box1	I1	Sample3_ CSF	Other	40	CSF
Box1	A2	Sample4_ CSF	Other	40	CSF
Box1	B2	Sample5_ CSF	Other	40	CSF
Box1	C2	Sample6_ CSF	Other	40	CSF
	D2				
	E2				
	F2				

10x10 box

Sample tube orientation

	1	2	3	4	5	6	7	8	9	10
A	Sample1	Sample5_ CSF								
B	Sample2	Sample6_ CSF								
C	Sample3									
D	Sample4									
E	Sample5									
F	Sample6									
G	Sample1_ CSF									
H	Sample2_ CSF									
I	Sample3_ CSF									
J	Sample4_ CSF									

How to fill out the Sample manifest

Box ID	Pos ID	Unique Sample ID (for letters standard A-Z only)	Sample type, choose from list if other, please specify in <i>Additional information</i>	Sample volume (µL)	Additional information
Box1	A1	Sample1	EDTA plasma	40	
Box1	B1	Sample2	EDTA plasma	40	
Box1	C1	Sample3	EDTA plasma	40	
Box1	D1	Sample4	EDTA plasma	40	
Box1	E1	Sample5	EDTA plasma	40	
Box1	F1	Sample6	EDTA plasma	40	
Box1	G1	Sample1_CSF	Other	40	CSF
Box1	H1	Sample2_CSF	Other	40	CSF
Box1	I1	Sample3_CSF	Other	40	CSF
Box1	J1	Sample4_CSF	Other	40	CSF
Box1	A2	Sample5_CSF	Other	40	CSF
Box1	B2	Sample6_CSF	Other	40	CSF
	C2				
	D2				
	E2				

www.olink.com

For research use only. Not for use in diagnostic procedures.

This product includes a license for non-commercial use. Commercial users may require additional licenses. Please contact Olink Proteomics AB for details. There are no warranties, expressed or implied, which extend beyond this description. Olink Proteomics AB is not liable for property damage, personal injury, or economic loss caused by this product.

Olink® is a registered trademark of Olink Proteomics AB.

© 2021 Olink Proteomics AB. All third party trademarks are the property of their respective owners.

Olink Proteomics, Dag Hammarskjölds väg 52B, SE-752 37 Uppsala, Sweden

